


IN THE CLAIMS

What is claimed is:

1. (original) A compound of formula I:



or a pharmaceutically acceptable salt thereof, wherein:

X is N or C, provided that when X is N, R₅ is absent at that position;

R₁ is (C₁-C₆)alkyl,

halo(C₁-C₆)alkyl,

(C₃-C₆)cycloalkyl,

halo(C₃-C₆)cycloalkyl


aryl, and

heteroaryl;

CH₂(C₃-C₆)cycloalkyl;

R₂ is H,

NH₂,



NH(C₁-C₆)alkyl,

NH(C₃-C₆)cycloalkyl,



NH-aryl,

NH-heteroaryl,


NHSO₂-(C₁-C₆)alkyl,

NHSO₂-aryl,

NHSO₂-heteroaryl,



wherein R_{2a} and R_{2a'} are as defined above,



(C₁-C₆)alkyl,


O(C₁-C₆)alkyl,

(C₃-C₇)cycloalkyl,

aryl,

heterocyclo,

heteroaryl, or




Q, are as defined above, and h and n are each

independently integers from 0 to 10, and Y is OH,

OPO(OH)₂, OPO(O(C₁-C₆))₂, or NR_{2d}R_{2e}, wherein R_{2d} and

R_{2e} are each independently H, (C₁-C₆)alkyl, or (C₃-

C₇)cycloalkyl,



(C₁-C₆)alkyl, aryl, or heteroaryl, or taken together with the carbon to which they are attached form a 3, 4, 5, or 6 membered substituted or unsubstituted ring, and R_{2g} is

(C₁-C₆)alkyl,

(C₃-C₇)cycloalkyl,

aryl, or

heterocyclo, or

heteroaryl;

R₃, R₄, and R₅ are each independently H,

halo,

NH₂,

(C₁-C₆)alkyl,


halo(C₁-C₆)alkyl,

(C₁-C₆)alkoxy, or

halo(C₁-C₆)alkoxy

nitrile; or

R₁ and R₅ taken together with the carbons to which they are attached form a substituted or unsubstituted 5- or 6-membered substituted or unsubstituted ring containing 0, 1, or 2 heteroatoms selected from O, S, SO, SO₂, or NR_x, wherein R_x is H or (C₁-C₆)alkyl; and



R_a and R_b are each independently H, (C₁-C₆)alkyl, (C₁-C₆)alkoxy, halo(C₁-C₆)alkyl, halo,
or R_a and R_b taken together with the carbon to which they are attached form
C=O, C=NO(C₁-C₆)alkyl, or a 3,4,5 or 6-membered substituted or unsubstituted
ring;

R', R'', R''', and R'''' are each independently H,

(C₁-C₆)alkyl,



-O(C₁-C₆)alkyl,

halo(C₁-C₆)alkyl,

aryl, or

heteroaryl;

and B is




provided that when B is in Ra or Rb, R' is not -O(C₁-C₆)alkyl, and wherein "~~~~" indicates the point of attachment;

R_c and R_d are each independently H,

(C₁-C₆)alkylnitrile;





(C₁-C₆)alkyl,

(C₃-C₆)cycloalkyl,

heteroaryl,

SO₂-(C₁-C₆)alkyl,

SO₂-aryl,

SO₂-heteroaryl,

$-(\text{CR}_{2a}\text{R}_{2a'})_g-\text{O}-\overset{\text{O}}{\parallel}\text{QR}_{2b}$, wherein g is an integer from 1 to 10, Q is as defined above, and R_{2a} and R_{2a'} are each independently H or (C₁-C₆)alkyl, or taken together with the carbons to which they are attached form a 3, 4, 5, or 6-membered substituted or unsubstituted ring, and R_{2b} is (C₁-C₆)alkyl, aryl, or heteroaryl,

$(\text{CR}_{2a}\text{R}_{2a'})_g-\text{O}-\overset{\text{O}}{\parallel}(\text{OH})_2$ or $(\text{CR}_{2a}\text{R}_{2a'})_g-\text{O}-\overset{\text{O}}{\parallel}(\text{O}(\text{C}_1-\text{C}_6)\text{alkyl})_2$, wherein R_{2a} and R_{2a'} are as defined above,

$\begin{array}{c} \text{O} \\ \parallel \\ \sim (\text{N}) \text{---} \text{R}_{2c} \\ \text{H} \\ \text{p} \end{array}$, wherein “~” indicates the point of attachment, p is 0 or 1, and R_{2c} is H,

(C₁-C₆)alkyl,

O(C₁-C₆)alkyl,

(C₃-C₇)cycloalkyl,


aryl,

heterocyclo,

heteroaryl, or

$-(\text{CHR}_{2a})_h-\text{O}-\overset{\text{O}}{\parallel}\text{QR}_{2b}$ or $-(\text{CHR}_{2a})_j-\text{Y}$, wherein R_{2a}, R_{2b}, and Q are as defined above, and h and j are each independently integers from 0 to 10, and Y is OH, OPO(OH)₂,

OPO(O(C₁-C₆))₂, or NR_{2d}R_{2e}, wherein R_{2d} and R_{2e} are each independently H, (C₁-C₆)alkyl, or (C₃-C₇)cycloalkyl,



, wherein q is 0 or 1, R_{2f} and R_{2f} are each independently H, (C₁-C₆)alkyl, aryl, or heteroaryl, or taken together with the carbon to which they are attached form a 3, 4, 5, or 6 membered substituted or unsubstituted ring, and R_{2g} is

(C₁-C₆)alkyl,

(C₃-C₇)cycloalkyl,

aryl, or

heterocyclo, or

heteroaryl;

R_e and R_f are each independently H, C₁-C₆ alkyl, haloalkyl, halo, or R_e and R_f taken together with the carbon to which they are attached form a 3,4,5 or 6-membered substituted or unsubstituted ring;

R_g and R_h are each independently H, C₁-C₆ alkyl, haloalkyl, or taken together with the carbon to which they are attached to form a 3,4,5 or 6-membered substituted or unsubstituted ring.; and

R_j and R_k are each independently H, (C₁-C₆)alkyl, haloalkyl, (C₁-C₆)alkyl-NR_cR_d, (C₁-

C₆)alkyl-OR_c, aryl, heteroaryl, heterocycle, (C₁-C₆)alkyl-C(=O)-Z-R_d, wherein Z is O or NR_c, or R_j and R_k taken together with the carbon to which they are attached to form a 3,4,5 or 6-membered substituted or unsubstituted ring.

2. (original) The compound of claim 1, wherein

X is C or N;

R₁ is (C₁-C₆)cycloalkyl and halo(C₁-C₆)cycloalkyl, aryl, or heteroaryl;

R₃ is H or NH₂;

R₄ is H or halo;

R₅ is halo, methyl, trifluoromethyl, methoxy, fluoromethoxy, difluoromethoxy, or trifluoromethoxy when X is C.

3. (original) The compound of claim 2, wherein

X is C or N;


R₁ is cyclopropyl or fluorocyclopropyl;


R₃ is H or NH₂;


R₄ is H or F;

R₅ is halo, methyl, or methoxy.

4. (original) The compound of claim 1, wherein R₁, R₃, and R₅ are as provided in the following structures, and R₂ is NH₂ or H, and R₄ is H or F:







5. (original) The compound of claim 1, wherein



z is 0, 1, 2, when q is 2 or 3 or z is 1 or 2 when q is 0, 1, 2, or 3;


R_a and R_b are each independently H, methyl, ethyl, fluoro, fluoromethyl, trifluoromethyl, fluoroethyl, methoxy, MeO-N, or taken together with the carbons to which they are attached form a cyclopropyl ring;



R', R'', R''', and R'''' are each independently H, fluoro, methyl, ethyl, fluoroethyl, fluoroethyl, phenyl, benzyl, or methoxy;



R_c and R_d each independently are H, methyl, or ethyl;


R_e and R_f each independently are H, methyl, or ethyl;

R_g and R_h each independently are H, methyl, ethyl, fluoromethyl, difluoromethyl, trifluoroethyl, cyclopropyl, phenyl, isoxazolyl, carboxymethyl, carboxyethyl, or , or taken together with the carbons to which they are attached form Δ ; and R_j and R_k each independently are H, methyl, ethyl, fluoromethyl, difluoromethyl, trifluoroethyl, cyclopropyl, phenyl, isoxazolyl, carboxymethyl, carboxyethyl, or , or taken together with the carbons to which they are attached form Δ .


6. (original) The compound of claim 1, wherein A is , and z is 0, 1, or 2, selected from the group consisting of:





wherein "~~~~~" indicates the point of attachment, or A is , or , wherein z is 0, 1, or 2 and q is 0, 1, 2, or 3, selected from the group consisting of:



wherein “~~~~~” indicates the point of attachment.

7. (currently amended) The compound of claim 6 or 7, wherein B is , or







wherein “~~~~~” indicates the point of attachment.

8. (original) The compound of claim 6, wherein



is selected from the group consisting of:






wherein R is $\text{CH}_2\text{CH}_2\text{CN}$ and wherein “~~~~~” indicates the point of attachment.

9. (original) The compound of claim 6, wherein




is selected from the group consisting of:



wherein R is CH_2CN , and wherein “~~~~” indicates the point of attachment.



10. (original) The compound of claim 6, wherein

selected from the group consisting of:



wherein R is $\text{CH}_2\text{CH}_2\text{CN}$ and wherein “~~~~” indicates the point of attachment.


11. (original) The compound of claim 6, wherein
selected from the group consisting of:




wherein R_c is

H or (C₁-C₆)alkyl, R is CH₂CN, and wherein "~~~~" indicates the point of attachment.


12. (original) The compound of claim 1, which is a compound of formulas II, III, IV, V, or VI;




11




III



IV



V



VI

13. (original) The compound, or a pharmaceutically acceptable salt thereof, of claim 1 selected from the group consisting of:

- 3- {[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3- {[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3- {[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3- {[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3- {[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3- {[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3- {[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3- {[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3- {[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;

- 3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;
- 3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;
- 3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino)-propionitrile;
- 3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino)-propionitrile;
- 3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino)-propionitrile;
- 3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino)-propionitrile;
- 3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile;

3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile;

3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile;

3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile;

3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

N-[2-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl]-acetamide;

N-[2-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl]-acetamide;

N-[2-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl]-acetamide;

N-[2-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl]-acetamide;

- 3- {[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3- {[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3- {[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3- {[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3- {[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile; and
- 3- {[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile.

14. (original) The compound, or a pharmaceutically acceptable salt thereof, of claim 1 selected from the group consisting of:

- 3- {[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3- {[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3- {[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;
- 3- {[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;
- 3- {[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;
- 3- {[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;
- 3- {[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino)-propionitrile;
- 3- {[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino)-propionitrile;

- 3-({1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino)-propionitrile;
- 3-({1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino)-propionitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3-{{1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3-{{1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3-{{1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3-{{1-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile;
- 3-{{1-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile;
- 3-{{1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile;
- 3-{{1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile;
- 3-({1-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-({1-[1-(1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

N-[2-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-{2-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl}-acetamide;

N-{2-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl}-acetamide;

N-{2-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl}-acetamide;

N-{2-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl}-acetamide;

3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl}-amino}-butyronitrile;

3-{{1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl}-amino}-butyronitrile;

3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl}-amino}-butyronitrile;

3-{{1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl}-amino}-butyronitrile;

- 3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl}-methyl-amino}-butyronitrile;
- 3-{{1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl}-methyl-amino}-butyronitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl}-methyl-amino}-butyronitrile;
- 3-{{1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl}-methyl-amino}-butyronitrile;
- 3-[5-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-5-aza-spiro[2.4]hept-1-ylamino]-propionitrile;
- 3-[5-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-5-aza-spiro[2.4]hept-1-ylamino]-propionitrile; and
- 3-[5-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-5-aza-spiro[2.4]hept-1-ylamino]-propionitrile.

15. (original) The compound, or a pharmaceutically acceptable salt thereof, of claim 1 selected from the group consisting of:

- 3-[5-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-5-aza-spiro[2.4]hept-1-ylamino]-propionitrile;
- 3-[1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propylamino]-propionitrile;
- 3-[1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propylamino]-propionitrile;
- 3-[1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propylamino]-propionitrile;
- 3-[1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propylamino]-propionitrile;
- 3-{{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propyl}-methyl-amino}-propionitrile;
- 3-{{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propyl}-methyl-amino}-propionitrile;

- 3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propyl}-methyl-amino)-propionitrile;
- 3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propyl}-methyl-amino)-propionitrile;
- 3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropylamino}-propionitrile;
- 3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropylamino}-propionitrile;
- 3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropylamino}-propionitrile;
- 3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropylamino}-propionitrile;
- 3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;
- 3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;
- 3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;
- 3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;
- 3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;
- 3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;
- 3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;
- 3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;
- 3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-ethyl-amino)-propionitrile;

- 3-{{1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl}-ethyl-amino}-propionitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl}-ethyl-amino}-propionitrile;
- 3-{{1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl}-ethyl-amino}-propionitrile;
- 3-{{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino}-propionitrile;
- 3-{{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino}-propionitrile;
- 3-{{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino}-propionitrile;
- 3-{{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino}-propionitrile;
- 3-{{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino}-propionitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl}-ethyl-amino}-propionitrile;
- 3-{{1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl}-ethyl-amino}-propionitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl}-ethyl-amino}-propionitrile;
- 3-{{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino}-propionitrile;
- 3-{{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino}-propionitrile;
- 3-{{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino}-propionitrile;
- 3-{{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino}-propionitrile;

N-{2-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-ethyl-amino]-ethyl}-acetamide;

N-{2-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-ethyl-amino]-ethyl}-acetamide;

N-{2-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-ethyl-amino]-ethyl}-acetamide;

N-{2-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-ethyl-amino]-ethyl}-acetamide;

3-{[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{[1-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl]-ethyl-amino}-propionitrile; and

3-{[1-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl]-ethyl-amino}-propionitrile.

16. (original) The compound, or a pharmaceutically acceptable salt thereof, of claim 1 selected from the group consisting of:

3-{[1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl]-methyl-amino}-propionitrile;

3-{[1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl]-methyl-amino}-propionitrile;

3-{[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

N-{2-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-ethyl-amino]-ethyl}-acetamide;

N-{2-[(2-Cyano-ethyl)-ethyl-amino]-2-[1-(1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-acetamide;

N-{2-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-ethyl-amino]-ethyl}-acetamide;

N-{2-[(2-Cyano-ethyl)-ethyl-amino]-2-[1-(1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-acetamide;

3-{1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propylamino}-propionitrile;

3-{1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propylamino}-propionitrile;

3-{{1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-azetidin-3-ylmethyl]-amino}-propionitrile;

3-{{1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-azetidin-3-ylmethyl]-amino}-propionitrile;

3-{1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropylamino}-propionitrile;

3-{1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropylamino}-propionitrile;

3-{{1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-ethyl-azetidin-3-ylmethyl]-amino}-propionitrile;

- 3-[[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-ethyl-azetidin-3-ylmethyl]-amino]-propionitrile;
- 3-Amino-3-[1-(5-amino-8-fluoro-3-methyl-4,6-dioxo-2,3,5,6-tetrahydro-4H-1-oxa-3a,5-diaza-phenalen-9-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(8-fluoro-3-methyl-4,6-dioxo-2,3,5,6-tetrahydro-4H-1-oxa-3a,5-diaza-phenalen-9-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(3-amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

- 3-Amino-3-[1-(3,5-diamino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(5-amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(3,5-diamino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(5-amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;
- 3-Amino-3-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;
- 3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;
- 3-Amino-3-[1-(1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile; and
- 3-Amino-3-[1-(3-amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile.

17. (original) The compound, or a pharmaceutically acceptable salt thereof, of claim 1 selected from the group consisting of:

- 3-Amino-3-[1-(1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;
- 3-Amino-3-[1-(3-amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;
- 3-Amino-3-[1-(1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;
- 3-Amino-3-[1-(3,5-diamino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;
- 3-Amino-3-[1-(5-amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;

- 3-Amino-3-[1-(3,5-diamino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;
- 3-Amino-3-[1-(5-amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;
- 3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-Amino-3-[1-(1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;
- 3-[1-(3-Amino-1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(5-Amino-8-fluoro-3-methyl-4,6-dioxo-2,3,5,6-tetrahydro-4H-1-oxa-3a,5-diaza-phenalen-9-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(8-Fluoro-3-methyl-4,6-dioxo-2,3,5,6-tetrahydro-4H-1-oxa-3a,5-diaza-phenalen-9-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(3-Amino-1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

- 3-[1-(1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(3,5-Diamino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(5-amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(3,5-Diamino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(5-amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;
- 3-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;
- 3-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;
- 3-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;
- 3-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;
- 3-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;
- 3-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;
- 3-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;
- 3-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

- 3-[1-(3,5-Diamino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;
- 3-[1-(5-amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;
- 3-[1-(3,5-Diamino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;
- 3-[1-(5-amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;
- 3-[2-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-octahydro-cyclopenta[c]pyrrol-4-ylamino]-propionitrile;
- 3-[2-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-octahydro-cyclopenta[c]pyrrol-4-ylamino]-propionitrile;
- 3-[2-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-octahydro-cyclopenta[c]pyrrol-4-ylamino]-propionitrile;
- 3-[2-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-octahydro-cyclopenta[c]pyrrol-4-ylamino]-propionitrile;
- 3-[2-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-octahydro-cyclopenta[c]pyrrol-4-ylamino]-propionitrile; and
- 3-[2-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-octahydro-cyclopenta[c]pyrrol-4-ylamino]-propionitrile.

18. (original) A pharmaceutical formulation comprising a compound of formula I, II, III, IV, V, or VI admixed with a pharmaceutically acceptable diluent, carrier, or excipient.
19. (original) A method of treating a bacterial infection in a mammal, comprising administering to a mammal in need thereof an effective amount of a compound of formula I, II, III, IV, V, or VI.